

# THOMPSONS SPREADSHEET

**JOB No:** 29384

**27/07/2010**

**CUSTOMER:** WATERSIDE CONST 29-35 COWPER ST MARRICKVILLE

Height 2500

Width 5820

**CURTAIN:**

Slat Type 75 perf Rolled up off Drum

Slat Length 5920


Clipped 22

Unclipped 22

Clips 44

Solid 12

Perf 32




**ROLLER:** Left Hand

Axle Length 6120 - 39mm

Tube Length 6020 - 168 x 4.8

Springs 4 x 1/2 x 130 - 1

Sprocket 11 inch Morse



**GROOVES:** 2600 x 75 x 30

**BOTTOM RAIL:** 5920/Steel Angle 50x50x6

**MOTOR/MANUAL:** 1hp Grifco High Cycle Maestro Mechanical - REVERSE MOUNT

**HARDWARE:**

177 centres

12T 12B sprocket

1 metre 12B roller link chain

4.4 metres pull chain

**EXTRAS:**

Powdercoat MONUMENT

VEATIKOTE O/N: P008434

LH STEEL 3360 T & B ADJUSTABLE

RH STEEL WORK 3385 T & B ADJUSTABLE



CEILING IS SQUARE



LOGICS & PE'S

**No. DOORS : 1**

**JOB No: 29384**

<b>ENTERED</b>	
Date 27/7	By <i>[Signature]</i>

CURTAIN		GUIDES & B/RAIL	ROLLER
Solid 12	Perf 32	Hand - Left Hand	GEAR: Left Hand (Carpark)
Clip 22	Slat Type 75 perf	Guide - 2600 x 75 x 30 - L/HAND <i>2625 x 75 x 30 - R/HAND</i>	AXLE: 6120 - 39mm
Plain 22	5920 c/s	<i>POWDERCOAT</i>	TUBE: 6020 - 168 x 4.8
W/G Clip		<i>GIVE GUIDES TO TONY FOR STEELWORK</i>	SPRINGS: 4 x 1/2 x 130 - 1
W/G Plain		B/Rail - 5920 - Steel Angle 50x50x6 Cutout - 75, (B/Slat - 5920) Powdercoat	SPROCKET: 11 inch Morse
B/Slat Rolled up off Drum		<i># No SALARY #</i>	Date 27/07/2010
Date 27/07/2010			<b>JOB No: 29384</b>
<b>JOB No: 29384</b>			Number Doors : 1
Number Doors : 1		Date 27/07/2010	
<b>Powdercoat Don't Clip</b>		<b>JOB No: 29384</b>	
		Number Doors : 1	
			Powdercoat Rolled up off Drum




Job No: 29384

WATERSIDE CONST  
29-35 Cowper St  
MARRICKVILLE

J-29384  
SCOTT  
0429-443565

Inside looking out.



- \* Powdercoat An Monument
- \* LH STEEL 3360 ADJUSTABLE
- RH STEEL 3385 ADJUSTABLE
- \* 75 Fully Perf