





DANGER - ACHTUNG - AVERTISSEMENT

40W MAX. 132B2104

Program receiver for each transmitter

1. Press and HOLD transmitter push button.
2. Press receiver code button.
3. When opener light flashes, release both push buttons.

Enter all receiver codes

1. Press and HOLD receiver code button 6 seconds. Indicator light will turn ON.
2. Release code button when light turns off.

Programmation du récepteur pour chaque émetteur

1. Appuyez sur le bouton-poussoir de récepteur et le tenir appuyé pendant 6 secondes.
2. Appuyez sur le bouton de code du récepteur.
3. Dès que le témoin de l'ouvre-porte de garage s'allume, relâchez les deux boutons.

Pour afficher tous les codes de récepteur

1. Appuyez sur le bouton de code du récepteur et le tenir appuyé pendant au moins 6 secondes. Le témoin s'allumera.
2. Relâchez le bouton de code dès que le témoin s'éteint.

MODEL - B & D CAD4 - 433MHz
 5 year warranty For Service call

Installation Date: _____
 B&D Dealer Name: _____

B&D recommends an annual service by your authorized B&D dealer for your door and automatic opener.

To adjust the force limit: If the door doesn't open completely, but opens at least 1.5 metres, turn the up limit adjustment screw clockwise. If the door doesn't close completely, turn the down limit adjustment screw counter-clockwise until the door opens and closes fully. B.D. One turn = 30mm of door travel.

Important Safety Advice

- B&D recommends that every installation of a B&D automatic garage door opener is fitted with Safety-Netted Beams.
- **DO NOT** operate your opener unless you have full visual contact of the door.
- **DO NOT** CREEP OR WALK through the opening until the door has stopped.
- Do not allow children to play with or near the door.
- The door is under significant tension. Adjustments should only be carried out by experienced persons, as this function can be dangerous if not performed under strict safety procedures. Contact your authorized B&D dealer.
- Your garage door should be serviced annually to ensure smooth operation of your B&D automatic garage door opener. Contact your authorized B&D dealer.
- **TEST THE SAFETY SYSTEM** each week for the first month, then once per month, adjust if necessary.
- If you require the customer manual please call 020 87294000 or quote model CAD4 - 433MHz.

For any other service requirement, B&D recommends you contact your authorized B&D dealer.

132B2094

433MHz 132B2104